

Majestic

Majestic Manufacturing, Inc. • P.O. Box 128
4536 State Route 7 • New Waterford, Ohio 44445

**SUBJECT: SAFETY RULES FOR MAJESTIC BUILDINGS: FP1536, FP1400,
FP1040, TM1400, TM1800, TM1800 EURO, PM2700, TM1280, TM2100, INDIVIDUAL
BUMPER CAR OWNERS**

ATTN: OWNER/OPERATOR,

This Bulletin pertains to operation of your Majestic unit. This Service Bulletin *must* remain with owner's manual. If you have any questions regarding this Bulletin, contact our office at (330) 457-2447, M-F 8:00 a.m.-4:30 p.m. E.S.T. • Fax 457-7490

SERVICE BULLETIN

Date: May 1, 1991

S.B. Number: 91-3

Notice:

ADULT BUMPER CARS

Majestic Manufacturing, Inc. is requiring safety rules on each and every Majestic Scooter or facilities with Majestic Bumper cars. These safety rules must be visible and legible for every patron prior to their participation.

RECOMMENDED LISTS OF SAFETY RULES:

1. Keep all hands and arms inside car.
2. Keep shoulder strap on while ride is in operation.
Optional: Keep lap bar in the down position while ride is in operation.
3. No head on collisions.
4. Stay in car until ride has stopped.
5. You must be at least (Majestic Recommended Height) 50 inches to operate cars.
6. Operator has right to refuse any ticket holder.
7. Advise attendant of any medical conditions.

This service bulletin must remain with owner's manual at all times.

If you have any questions on factory standards or procedures on our equipment contact Majestic Manufacturing, Inc. during business hours 8:00am to 4:30pm Monday through Friday Eastern Standard Time at 330-457-2447.

SUBJECT: BUMPER CAR A.D.A.

ATTN: OWNER/OPERATOR,

This Bulletin pertains to operation of your Majestic unit. This Service Bulletin *must* remain with owner's manual. If you have any questions regarding this Bulletin, contact our office at (330) 457-2447, M-F 8:00 a.m.-4:30 p.m. E.S.T. • Fax 457-7490

SERVICE BULLETIN

Date: June 1, 1994

S.B. Number: 94-1

Notice:

This bumper car unit S/N _____ has been equipped with one bumper car that has an additional safety restraint. For the passenger only car number _____. The purpose of the additional safety is for individuals who may require special restraint and safety. The Federal Government has no guidelines on who can or who can not safely participate on an amusement devise that is physically challenged. Majestic Manufacturing can not be responsible for the safety of individuals that go beyond the limitation and guidelines set forth by Majestic.

1. All riders must understand the concept of the bumper cars (they bump into each other).
2. No rider should ride this ride with a physical condition that would become aggravated, accelerated or compounded in any way due to the bumping action.
3. A supervisor must assist in and out of the car and unit and document any and all riders that are physically challenged.
4. Riders must have consent or permission from their attending physician or care giver stating they are capable of riding the bumper cars for what period of time. Only written statements with phone numbers will be recognized by Majestic.
5. Operator/owner must document speed setting of unit at time of rider involvement. Recommended speed setting is 1 per Majestic.
6. All "drivers" of the bumper car must be mentally capable of understanding the safety rules established by Majestic and must not be under the influence of any "substance" that may impair their mental capabilities.

This service bulletin must remain with owner's manual at all times.

If you have any questions on factory standards or procedures on our equipment contact Majestic Manufacturing, Inc. during business hours 8:00am to 4:30pm Monday through Friday Eastern Standard Time at 330-457-2447.

MAJESTIC

Majestic Manufacturing, Inc., P.O. Box 128
4536 State Route 7, New Waterford, Ohio 44445

Documentation sheet for physically challenged ridership on

Location:

Type of Unit:

S/N:

Model:

Type of Car:

Car Number equipped with lapbar and passenger
Y Harness with adjustable seatbelt.

Date & Time	Passengers Full Name & Address	Physicians name and Consent Slip	Speed Setting	Supervisors Name

DEDICATED TO SAFETY IN THE AMUSEMENT INDUSTRY

Majestic

Majestic Manufacturing, Inc. • P.O. Box 128
4536 State Route 7 • New Waterford, Ohio 44445

SUBJECT: GENERAL INSPECTIONS

ATTN: OWNER/OPERATOR,

This Bulletin pertains to operation of your Majestic unit. This Service Bulletin *must* remain with owner's manual. If you have any questions regarding this Bulletin, contact our office at (330) 457-2447, M-F 8:00 a.m.-4:30 p.m. E.S.T. • Fax 457-7490

SERVICE BULLETIN

Date: April 25, 1996

S.B. Number: 96-2

Notice:

This service bulletin is to inform all owner/operator with Majestic Bumper Cars that a general inspection of each and every bumper car should take place prior to each operation.

Areas to inspect prior to each operation:

Check to see that all safety equipment is in place and operational

1. Steering wheel pad (proper size)
2. Stinger pole pads are appropriate for the car type
3. Hand holds, padded dash
4. Seatbelts or lap bars
5. Entire interior of car has no loose objects etc
6. Mechanical aspect of car is in good working order
7. Electrical aspect of car is in good working order
8. Bumper tire is properly inflated at 13psi

This bulletin is a basic guideline of safety awareness to all owner/operator's for the main purpose of inspecting each car for patron safety.

This service bulletin must remain with owner's manual at all times.

If you have any questions on factory standards or procedures on our equipment contact Majestic Manufacturing, Inc. during business hours 8:00am to 4:30pm Monday through Friday Eastern Standard Time at 330-457-2447.

Dedicated to Safety in the Amusement Industry

Majestic

Majestic Manufacturing, Inc. • P.O. Box 128
4536 State Route 7 • New Waterford, Ohio 44445

SUBJECT: BUMPER CAR VELOCITY

ATTN: OWNER/OPERATOR,

This Bulletin pertains to operation of your Majestic unit. This Service Bulletin *must* remain with owner's manual. If you have any questions regarding this Bulletin, contact our office at (330) 457-2447, M-F 8:00 a.m.-4:30 p.m. E.S.T. • Fax 457-7490

SERVICE BULLETIN

Date: May 8, 1996

S.B. Number: 96-8

Notice:

This service bulletin is to all owner/operators with Majestic Bumper cars and rectifiers. Daily inspections are required on all electrical components and speed selection settings to insure safe operating conditions. Incoming electricity, outside elements, integrity of the floor, ceiling and cars all combine together and must produce a safe operation.

1. Recommended speed setting for floor ceiling type is three (3) on the rectifier or approximately 2 1/2 feet per second for adult cars.
2. Recommended speed setting for floor only type is one (1) to two (2) on the rectifier which will produce 2 feet per second for adult cars.
3. Recommended speed setting for all Mini bumper cars is 1 foot per second.
4. The higher the speed setting the greater the risk for an incident.
5. The owner/operator should exercise prudent judgement on who can and who cannot safely operate the bumper cars.

For additional information regarding the safe operation and maintenance of bumper cars, Majestic offers both training and maintenance procedures.

This service bulletin must remain with owner's manual at all times.

If you have any questions on factory standards or procedures on our equipment contact Majestic Manufacturing, Inc. during business hours 8:00am to 4:30pm Monday through Friday Eastern Standard Time at 330-457-2447.

Dedicated to Safety In the Amusement Industry

Majestic Manufacturing, Inc.

Majestic Manufacturing, Inc. * PO Box 128
4536 State Route 7, New Waterford, Ohio 44445

**Subject: Safety Rules for Majestic Scooter Buildings: All F.P. Units, All T.M.
Models & individual Bumper Car Owners.**

ATTN: OWNER/OPERATOR

This bulletin pertains to the operation of your Majestic unit. This Service Bulletin must remain with the owner's manual at all times. If you have any questions regarding the Bulletin, contact our office at 330/457-2447, M-F 8:00a.m. -4:30p.m. E.S.T. Fax 330/457-7490.

SERVICE BULLETIN

Date: August 13, 1999

S.B. Number: 99-2 Sheet 1 of 2

Notice:

In a continuing effort for a safe and profitable operation, Majestic Manufacturing is issuing a safety ride update for all Majestic built units.

Majestic Manufacturing requires safety rules on each and every Majestic built Scooter, or facilities with Majestic Bumper Cars. The safety rules must be visible and legible for every patron prior to their participation.

If you have any questions on factory standards or procedures on our equipment, contact Majestic Manufacturing, Inc. during normal business hours of 8:00 a.m. to 4:30 p.m. Monday through Friday, E.S.T. at 330/457-2447 or toll free at 1-888-MAJ-RIDE.

Majestic Manufacturing, Inc.

Majestic Manufacturing, Inc. * PO Box 128
4536 State Route 7, New Waterford, Ohio 44445

FOR YOUR SAFETY

1. YOU MUST BE A MINIMUM 48" TALL TO OPERATE THIS RIDE ALONE.
2. KEEP HANDS, ARMS, LEGS AND FEET INSIDE CAR AT ALL TIMES. REMAIN SEATED.
3. KEEP SHOULDER STRAP ON WHILE VEHICLE IS MOVING.
4. LAP BARS MUST BE IN THE DOWN POSITION WHILE RIDE IS IN OPERATION IF EQUIPPED.
5. AVOID HEAD ON COLLISIONS.
6. ADVISE ATTENDANT OF ANY MEDICAL CONDITION THAT MAY AFFECT YOU BY RIDING THIS RIDE.
7. BE CAREFUL ENTERING AND EXITING THIS RIDE, AS THE WALKING SURFACE MAY BE SLIPPERY.
8. THE OPERATOR HAS THE RIGHT TO REFUSE ANY TICKET HOLDER.
9. STAY IN CAR UNTIL RIDE HAS STOPPED.

YOU SHOULD NOT RIDE IF YOU HAVE

SEIZURES * BACK DISORDERS * HEART CONDITION
NECK DISORDERS * MOTION SICKNESS * PREGNACY
DIZZINESS * OTHER PHYSICAL AILMENTS WHICH MAY
BE AGGRAVATED BY THE MOTIONS OF THIS RIDE

YOU SHOULD NOT RIDE IF YOU ARE UNABLE TO

- BE RESTRAINED BY A LAP BAR AND/OR A SEAT BELT
- SIT UPRIGHT
- HOLD ON

YOU SHOULD NOT RIDE IF YOU ARE UNDER THE INFLUENCE OF

- DRUGS
- ALCOHOL
- PRESCRIPTION MEDICATION

PLEASE BE CAREFUL ENTERING & EXITING THE RIDE
AS THE WALKING SURFACE MAY BE SLIPPERY.
PLEASE WALK AT ALL TIMES.

Majestic Manufacturing, Inc.

Majestic Manufacturing, Inc. * PO Box 128
4536 State Route 7, New Waterford, Ohio 44445

Subject: Regarding the care & operation of New Bumper Cars.

ATTN: OWNER/OPERATOR

This bulletin pertains to the operation of your Majestic unit. This Service Bulletin must remain with the owner's manual. If you have any questions regarding the Bulletin, contact our office at 330/457-2447, M-F 8:00a.m. -4:30p.m. E.S.T. ** Fax 330/457-7490.

SERVICE BULLETIN

Date: September 22, 1999

S.B. Number: 99-6

Notice:

Proper inflation for safety & longevity is essential.

10 p.s.i. is the maximum air pressure for each tire.

For longevity of new or used tires, **talc** the tires prior to each operation for the first month to insure that the tire operates with sufficient lubrication. Then each month thereafter, apply the talc 3 times per week.



ORIGINATORS OF THE SCOOTER™

October 22, 2001

Memorandum

RE: SEAT BELTS

Majestic Manufacturing, Inc. has established that the driver – operator on a full size adult bumper car must be a minimum of 48” in height.

Majestic Manufacturing, Inc. also has a height restriction of 42” to be a passenger in a full size bumper car vehicle.

All riders a minimum of 48” tall or taller may operate a full size adult car equipped with a factory supplied lap bar in factory operating condition without wearing the over the shoulder seat belt.

Any passengers with a height between 42” and 48” tall are to wear the over the shoulder belt as additional protection from injury. The loop style belt for these passengers should be worn with the belt under both armpits, not under one armpit and around the neck.

This memorandum supersedes any previous specification on seat belts and lap bar applications.

If you have any questions call Majestic between 8:00 a.m. – 4:30 p.m. and ask for Rick Steed (customer service).

P.O. BOX 128, 4536 S. R. 7 - NEW WATERFORD, OHIO 44445
PHONE 330/457-2447 OR 457-7280 • FAX 330/457-7490

Majestic Manufacturing, Inc.

Majestic Manufacturing, Inc. * PO Box 128
4536 State Route 7, New Waterford, Ohio 44445

Subject: Use of Seat Belts

ATTN: OWNER/OPERATOR

This bulletin pertains to the operation of your Majestic unit. This Service Bulletin must remain with the owner's manual at all times. If you have any questions regarding the Bulletin, contact our office at 330/457-2447, M-F 8:00a.m. -4:30p.m. E.S.T. ** Fax 330/457-7490.

SERVICE BULLETIN

Date: January 11, 2002

S.B. Number: 2002-1

Notice: Seatbelts and speeds for Bumper Cars

Page 1 of 2

This speed is for cars being operated in Omni: Directional Use

When a Majestic DC power supply is utilized to supply DC circuit to a Majestic Bumper Cars in a normal operating environment, the recommended speed setting is a #3 on the rectifier control tap switch (see Service Bulletin 96-8).

When this setting is utilized, a normal rate of speed in the bumper car is approximately 3'- 4' per second. Certain conditions such as; corrosion on the ceiling, corrosion on the floor, and / or poor contact of metal components in the bumper car, may require a higher rectifier setting to achieve a 3'- 4' per second approximate speed.

When the parameters are met and the bumper car is equipped with a factory lap bar in factory working condition, the use of supplemental seat belts is not required for drivers of the car meeting a minimum of 48" tall or passengers in the car no less than 42" tall.

It should also be noted, that because of the variable problems associated with corrosion and poor electrical contact within the bumper car, speeds of the cars need to be monitored closely and variations of higher than recommended speeds should be kept to or as close to factory set standards as possible.

Page 2 of 2
Service Bulletin 2002-1
Seat belts for bumper cars

This does not apply to all drivers or riders with regards to individuals that are physically challenged.

It is the responsibility of the operator to offer the physically challenged riders the use of the enhanced protection supplemental seat belt.

If the owner/operator has a higher speed setting than factory recommended standards, the owner /operator is doing so at their own risk.

If you have any questions on factory standards or procedures on our equipment, contact Majestic Manufacturing, Inc. during normal business hours of 8:00 a.m. to 4:30 p.m. Monday through Friday, E.S.T. at 330/457-2447 or toll free at 1-888-MAJ-RIDE.